

Currently i've created 2 class dependant :

- client.class
- vigne.class

```
from osv import osv, fields

#Objet Vigne

class client_class(osv.osv):
    _name = 'client.class'
    _order = 'nom'
    _columns = {
        'nom': fields.char("Nom",size=50),
        'prenom': fields.char("Prenom",size=50),
        'adresse': fields.text("Adresse"),
        'phone': fields.char("Téléphone",size=50),
        'domicile': fields.char("Domicile",size=50),
        'domaine': fields.text("Domaine"),
        'mail': fields.char("E-mail",size=50),
        #'vigne': fields.many2one('vigne.class',"Vignes"),
    }

client_class()

#Objet Vigne

class vigne_class(osv.osv):
    _name = 'vigne.class'
    _columns = {
        'nom': fields.char("Vigne",size=50),
        'proprietaire': fields.many2one('client.class',"Propriétaire"), #Associe object Vigne
        'lieu': fields.char("Lieu",size=50),
        'nbr_treill': fields.integer("Nombre de treilles"),
        'ecartemnt_treill': fields.float("Ecartement Treilles"),
        'ecartemnt_plants': fields.float("Ecartement Plants"),
        'nbr_plants': fields.float("Nombre de Plants"),
        'superficie': fields.float("Superficie (ha)",),
        'description': fields.text("Description"),
        'etat': fields.selection(((('a','A Faire'), ('e','En Cours'), ('f','Fini'))),'Etat'),
    }


vigne_class()
```

'proprietaire' is informations of client_class object


'proprietaire': fields.many2one('client.class',"Propriétaire"), #Associe object Vigne

I would like to assign one or more **vigne_class object** to only one **client_class object**. Then i did a relational fields **many2one** in vigne_class 'proprietaire' that i would to refers to an id or fields'nom' of client_class (I don't know really how to do that, i tried "red box").


So i created view list to display all client_class objects:



And a view form to show information on one client_class object:



or register a new client_class object:



But i want to when i click on a client_class object in the view list, a list of vigné_class objects owned by a vigné class object appear in some fields of of client_class.

I dont know how assign fields to client_class to corresponds with its vigné_class object.

